# Chromalox® PRECISION HEAT AND CONTROL

Precision Electric Heat and Control Systems for Cogeneration Plants







# WHY CHOOSE ELECTRIC HEAT?

- Consistent pricing
- Clean-running operation
- No pollution
- Quiet operation
- Reduced footprint and envelope size
- Minimal maintenance
- Low operating cost
- Safety
- Large turndown / precise control

### **Fire Water Storage**

Large tank heaters with replaceable elements ensure operational readiness for freeze protection applications.

### **Storage Tanks**

Storage tank facilities for products such as sodium hydroxide and DI water are heated with hazardous-duty flanged immersion heaters to ensure precise temperatures needed for process conditions.

### Lubricating Oils for Turbines and Compressors


Immersion heaters with or without replaceable elements provide direct heating of lubricants for turbines and compressors.

### **Auxiliary Steam Generator**

Compact, low-pressure electric steam boilers supply on-demand steam for super critical times during startup and peak demands.

### Fuel-Gas Conditioning and Dew Point Heaters

Electric inline circulation heaters preheat and dry out supply gas streams to prevent corrosive condensation from forming and damaging expensive turbine blades.



### **Large Tank Heating Systems**

Chromalox large tank heaters employ metal-sheathed tubular or ceramicinsulated, open-coil pipe insert heating components for use in 2- and 3-inch (50- and 75-millimeter) nominal pipe sizes. This unique construction allows heating elements to be changed or field-serviced without draining the tank. Complete with Chromalox controls, these large tank heating systems can be operated to maintain materials at the proper temperature with little or no manual attention.



### **Immersion Heaters**

Chromalox immersion heaters apply heat directly at virtually 100 percent efficiency. Basic mounting options include threaded. flanged, and overthe-side designs. Various temperature control options permit very tight process temperature control. These direct-heating units feature carbon/INCOLOY\*/stainless steel sheathed elements and thermowells, integral controls, and moistureand explosionresistant terminal enclosures.

### **Circulation Heaters**

Our circulation heaters are designed to heat a flowing medium using in-line or side-arm piping configurations. A wide selection of kilowatt ratings, materials, vessel sizes, terminal enclosures, control features, and mounting methods are available. INCOLOY\* sheathed elements, stainless steel vessels, and highpressure ASME ratings enhance safety and the service life of turbines.

### **Comfort Heaters**

Chromalox general-purpose convection- and blower-type units are ideal for heating enclosed spaces such as wash water skids and service and maintenance facilities. They provide freeze protection and faster cold starts. Their Fintube® heating system consists of corrosion-resistant steel furnace-brazed to the tubular heating element to assure long life and superior heat transfer. The casing is a heavy gauge steel with adjustable louvers.

# Exhaust Stack and Accessory Modules Hazardous-duty convection and forced-air heating units provide safe heating in places like turbine and vent fan enclosures, exhaust stacks, and accessory modules. Service and Maintenance Yearly service visits ensure optimal operating conditions and help predict needed

### **High-Pressure Steam Piping**

High-temperature metal-sheathed heating cable is used for freeze protection on high-pressure steam piping in hazardous-rated area locations such as the Heat Recovery Steam Generator (HRSG).

### **Turbine Air Intake**

Large electric duct heaters warm incoming air to prevent icing on turbine blades in cold climates.

### **Motor and Enclosure Heaters**

Component strip heaters and silicone laminate heaters for medium to large sized motors and enclosures prevent condensation agents from decreasing life and performance.

### Temperature Controls, Sensors, and Control Panels

Thermocouple and RTD sensors, electronic PID DIN temperature control units, and SCR power switching panels minimize temperature swings, increase life of the heaters, and provide tighter control.

### Maintenance Facilities and Wash Water Skids

Convection and blower units heat enclosed spaces to warm both equipment and personnel.

### **Auxiliary Electric Steam Boilers**

Constructed of carbon or stainless steel with fiberglass insulation to ASME or PED code, Chromalox steam boilers and steam generators are safe, versatile, and efficient energy management systems that provide low- or high-pressure hot water or steam. They are packaged units that are com-

pletely assembled and ready to install, needing only a water feed-source and electric power hook-up to operate from existing distribution voltages, making installation simple.



### **Heat Trace and Controls**

maintenance.

Heat trace is used to counteract the heat loss from process equipment and piping through its insulation, to prevent solution precipitation and the increase of viscosity or solidification of product, and to provide

or solidification of product, and to profreeze protection.
Chromalox offers a variety of heat trace cable; temperature control, monitoring, and management in one, modular package; and all of the necessary components needed to complete the installation.

### **Controls and Control Systems**

From basic, low-cost temperature and process controllers, to monitors and over-temperature controls, to more sophisticated control systems like the Chromalox® intelliPANEL™ 3-phase SCR power control panel featuring unique color touchscreen technology, Chromalox can design the right system for your plant's needs. We are the only heating element supplier offering a complete line of controls, control panels, and accessories.



## WHY CHOOSE CHROMALOX?

- Broadest product line and experience unmatched in the industry
- Precision-engineered heat and control systems for more alternative fuels processes throughout the world than anyone
- Full design and engineering for virtually any electric process heat and control application
- Vertical integration in manufacturing capabilities
- Customized service ranging from start-up and training, to ongoing maintenance diagnostics, to emergency response all based on complete knowledge of your components parts and systems

# **Chromalox alue-Added Products and Services Are Available Worldwide**



103 Gamma Drive Pittsburgh, PA 15238 USA Phone: (412) 967-3800 Fax: (412) 967-5148 Toll-Free: 1-800-443-2640 email: sales@chromalox.com www.chromalox.com

**Chromalox-UK** 

Unit 122, Lombard House 2 Purley Way Croydon, Surrey, CR0 3JP, UK Tel: +44 (0)20 8665 8900 Fax: +44 (0)20 8689 0571 email: uksales@chromalox.com www.chromalox.co.uk

**Chromalox-France** 

Route de Château-Thierry Noyant et Aconin F-02203 SOISSONS Cedex, France Tel: +33 (0)3 23 74 39 39 Fax: +33 (0)3 23 74 39 00 email: ventes@chromalox.fr www.chromalox.fr

Chromalox-China

Chromalox (Shanghai) Precision Heat and Control Co., Ltd. Suite A2, 4th Floor, Fenggu Building 88 Taigu Road Waigaoqiao Free Trade Zone Shanghai 200131 People's Republic of China Tel: +86 (0)21 5866-8802 Fax: +86 (0)21 5866-8803 email: shanghai.office@chromalox.com www.chromalox.cn

Chromalox-India

1st Floor, 6 UNICOM House A-3 Commercial Complex Janakpuri New Delhi-110058 Tel: +91-11-25623134 Fax: +91-11-25623480 email: vipon.gaur@chromalox.com www.chromalox.in